Page: 1/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Crystal Drain Opener v.1

*Article number: 200107; 1010744

CAS number:

1310-73-2

EC number:

215-185-5

Index number:

011-002-00-6

- *Registration number 01-2119457892-27-XXXX
- *1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- *Application of the substance / the mixture: Drain Opener.

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610

Phone: 813-237-6463



1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States.

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

*Signal word Danger

 Hazard-determining components of labelling: sodium hydroxide

(Cont'd, on page 2)

Supplyworks[®]

PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



389 2 SP 0.680 E0032X 10237 D4336257678 S2 P5978658 0001:0007

վիրիրովովիդինիկիվիկիիիիոնիներդինը



HILLSBORO SD 1J-CUSTODIAL 4901 SE WITCH HAZEL RD HILLSBORO OR 97123-8457

12/14/18

Enclosed, please find Safety Data Sheets for your recent orders: 21505307 You can find a complete library of more than 11,000 data sheets at our web site www.supplyworks.com If you have any questions, please contact Customer Service at 866-412-6726

735341 M

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 1)

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264

Wash thoroughly after handling.

P280

Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

P321

Specific treatment (see on this label).

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international

regulations.

NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

·HMIS-ratings (scale 0 - 4)



Fire = 0 REACTIVITY | Reactivity = 0

- 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

· CAS No. Description

1310-73-2 sodium hydroxide

Identification number(s)

• EC number: 215-185-5

Index number: 011-002-00-6

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Brush off loose particles from skin.

Immediately remove any clothing soiled by the product.

If skin irritation continues, consult a doctor.

Rinse with warm water.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Nausea

Cramp

· Hazards:

Danger of gastric perforation.

Causes serious eye damage.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- *For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid formation of dust.

Product forms slippery surface when combined with water.

*6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

Warm water

Weak acid solution

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Avoid breathing dust.

Use personal protective equipment as required.

Avoid contact with the eyes and skin.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: glass or ceramic.

Storage area should be dry and well-ventilated.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from foodstuffs.

Store away from water.

Store away from metals.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

This product is hygroscopic.

Protect from humidity and water.

(Cont'd. on page 5)

Page: 5/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 4)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

PEL (USA) Long-term value: 2 mg/m³

REL (USA) Ceiling limit: 2 mg/m³

TLV (USA) Ceiling limit: 2 mg/m³

- DNELs: No further relevant information available.
- PNECs: No further relevant information available.

*8.2 Exposure controls

*Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Neoprene gloves

PVC gloves

Eye protection:

Contact lenses should not be worn.



Safety glasses

*Body protection: Alkaline resistant protective clothing

(Cont'd. on page 6)

Page: 6/12

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016

Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd, from page 5)

• Limitation and supervision of exposure into the environment: No further relevant information available.

· Risk management measures: See Section 7 for additional information.

9.1 Information on basic physic	cal and chemical properties	
Appearance Form:	Solid	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Alkaline	
Melting point/Melting range:	319 °C (606 °F)	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapour density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with	400 "	
water at 20 °C (68 °F):	420 g/l	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not applicable.	
Kinematic: 9.2 Other information	Not applicable. No further relevant information available.	

(Cont'd. on page 7)



Page: 7/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids.

Reacts with various metals.

Reacts with humid air.

Corrosive action on metals.

Reacts with halogenated compounds.

Heating occurs when water is added.

Reacts with carbon dioxide.

Reacts with inorganic acid chlorides.

Reacts with fats and oils.

- *10.4 Conditions to avoid Moisture.
- *10.5 Incompatible materials Strong acids
- *10.6 Hazardous decomposition products Possible in traces.

SECTION 11: Toxicological information

- *11.1 Information on toxicological effects
- *Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- Primary irritant effect
- Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes severe skin burns and eye damage.

- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- *Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

Probable routes of exposure:

Ingestion.

Inhalation

Eve contact.

Skin contact.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Page: 8/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 7)

- * Carcinogenicity: Based on available data, the classification criteria are not met.
- * Reproductive toxicity: Based on available data, the classification criteria are not met.
- * STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- *Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- * Ecotoxical effects:
- * Remark: After neutralisation a reduction of the harming action may be recognised.
- Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- *vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- *13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Cont'd. on page 9)

Page: 9/12

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 8)

14.1 UN-Number DOT, ADR, IMDG, IATA	UN1823
14.2 UN proper shipping name DOT, IATA ADR, IMDG	Sodium hydroxide, solid SODIUM HYDROXIDE, SOLID
14.3 Transport hazard class(es)	
DOT	
E31	
Class Label	8 Corrosive substances. 8
ADR	
Class Label	8 (C6) Corrosive substances.
IMDG, IATA	
Class Label	8 Corrosive substances.
14.4 Packing group DOT, ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Alkalis
14.7 Transport in bulk according to Ar	

Page: 10/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd, from page 9)

· Transport/Additional information:
· DOT



Limited Quantity for packages less than 30 kg and inner packagings less than 1 kg.

- ADR



Limited Quantity for packages less than 30 kg and inner packagings less than 1 kg.

·IMDG



Limited Quantity for packages less than 30 kg and inner packagings less than 1 kg.

IATA



Limited Quantity for packages less than 30 kg and inner packagings less than 5 kg.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Cont'd. on page 11)

Page: 11/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

Printing date: 22.08.2016 Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 10)

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic Categories

*EPA (Environmental Protection Agency)

Substance is not listed.

· IARC (International Agency for Research on Cancer)

Substance is not listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Canadian Domestic Substances List (DSL)

Substance is listed.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 22.08.2016

Revision: 22.08.2016

Trade name: Crystal Drain Opener v.1

(Cont'd. from page 11)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com



