

215 S.E. 5th Ave.  
HILLSBORO, OR 97123

## SECTION I

PRODUCT CODE NUMBER 1101-1118 (Tubes) 3351-3364 (½ gal)  
2226-2239 (Pints) \*TLV \_\_\_\_\_

MANUFACTURER'S NAME Chroma Acrylics, Inc. EMERGENCY INFORMATION: (609) 261-8500

MANUFACTURER'S ADDRESS Marre Hwy - P. O. Box 510, Hainesport, N.J. 08036

PRODUCT Chromacryl COMMON NAME \_\_\_\_\_

GENERIC NAME \_\_\_\_\_ CHEMICAL NAME \_\_\_\_\_

CHEMICAL FAMILY \_\_\_\_\_ DOT PROPER SHIPPING NAME \_\_\_\_\_

WARNING STATEMENTS \_\_\_\_\_

## SECTION II - INGREDIENTS

|  | % | TLV |
|--|---|-----|
| This product is certified by an authority on Toxicology associated with leading university to contain no materials in sufficient quantities to be toxic or injurious to the human body even if ingested. It conforms to the C. P. standards established by the Art & Craft Materials Institute, 715 Boylston St., Boston, Mass. 02116. Phone: 617-266-6800 |   |     |

\* Threshold limit value set by (A) OSHA, (B) ACGIH, (C) See Section III, (D) Other, (NE) Not Established (Units are in PPM unless otherwise specified)

## SECTION III - PHYSICAL DATA

APPROXIMATE BOILING RANGE: 215 - 275°F VAPOR PRESSURE: \_\_\_\_\_

VAPOR DENSITY: Lighter, than air. SOLUBILITY IN WATER: \_\_\_\_\_

SPECIFIC GRAVITY: \_\_\_\_\_ PERCENT VOLATILE by volume: 90%

EVAPORATION RATE: Slower, than Ether APPROXIMATE BULK DENSITY: 10-11.75 LBS/GAL

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT RANGE: Not Applicable EXTINGUISHING MEDIA: Water, CO<sub>2</sub>, or foam.

FIRE FIGHTING PROCEDURES: None. DOT FLAMMABILITY CLASSIFICATION: \_\_\_\_\_

UNUSUAL FIRE AND EXPLOSION HAZARDS \_\_\_\_\_

## SECTION V - EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: \_\_\_\_\_

SKIN CONTACT: \_\_\_\_\_

INHALATION: \_\_\_\_\_

INGESTION: No special considerations.

SECTION VI - PHYSIOLOGICAL EFFECTS AND HEALTH INFORMATION

ACUTE EFFECTS TLV: Not Applicable. Effects of Overexposure: Not Known.

CHRONIC EFFECTS \_\_\_\_\_

SECTION VII - REACTIVITY DATA

STABILITY (Conditions to Avoid): Stable.

INCOMPATIBILITY (Materials to Avoid): \_\_\_\_\_

HAZARDOUS DECOMPOSITION PRODUCTS Not Applicable.

HAZARDOUS POLYMERIZATION (Conditions to Avoid): Will not occur.

SECTION VIII - SPILL OR LEAK PROCEDURES

PROCEDURES IN CASE OF RELEASE OR SPILL: Dike and contain spill inert material (sand, sawdust, etc.) and transfer the liquid to containers for disposal. Keep spill out of sewers and open bodies of water. Floors may be slippery. Care should be exercised to avoid falls.  
WASTE DISPOSAL METHOD: Any convenient method in accordance with existing regulations.

SECTION IX - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (For Air Brushing - Air Brush): Not needed under normal conditions of use.

VENTILATION: Normal requirements.

PROTECTIVE GLOVES: Not needed.

EYE PROTECTION: Not needed.

OTHER PROTECTIVE EQUIPMENT: Not needed.

SECTION X - STORAGE AND SPECIAL PRECAUTIONS

HANDLING AND STORING PRECAUTIONS: No particular precautions.

OTHER PRECAUTIONS: None. This is a non hazardous material.

SECTION XI - DOCUMENTARY INFORMATION

PRODUCT CODE NUMBER: \_\_\_\_\_

ISSUE DATE: \_\_\_\_\_

REPLACES MSDS NUMBER: \_\_\_\_\_

PREVIOUS PRODUCT CODE NUMBER: \_\_\_\_\_

PREVIOUSLY ISSUED: \_\_\_\_\_