

===== MSDS		
Safety Information		
=====		
FSC:	MSDS Date:	MSDS Num:
7930	08/17/1993	BYVDJ
Submitter:	LIIN:	Tech Review:
N EN	00N062665	09/01/1995
Product ID:		MFN:
CLEAR WINDEX, 126001-3		01
Article:		Kit Part:
N		N
	Cage:	
Responsible Party	DO622	
Name:		
SC JOHNSON WAX		
Address:		
1525 HOWE ST		
City:	State:	Zip:
RACINE	WI	53405-5011
Country:		
US		
Info Phone Number:		
414-631-2777		
Emergency Phone Number:		
800-851-7145		
	Radioactive Ind:	
	N	
	Preparer's Name:	
	TERRY A. MEYERS	
	Proprietary Ind:	
	N	
		Review Ind: N
	Published: Y	Special Project CD: N
===== Contractor		
Summary		
Cage:	Name:	
32204	SC JOHNSON AND SON INC	
Address:		
1525 HOWE ST		
City:	State:	Zip:
RACINE	WI	53403-2236
Country:	Phone:	
US	800-725-6737	
Cage:	Name:	
DO622	SC JOHNSON WAX	

Address:

N/K
City:

State:

Zip:

RACINE
Country:

Phone:

WI

53403-5011

NK

800-228-5635 EXT 092

Ingredients

[TOP](#)

Cas: 7732-18-5

M

ZC0110000

M

Code:

RTECS #:

Code:

Name: WATER

% Text: >90

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 67-63-0

M

NT8050000

M

Code:

RTECS #:

Code:

Name: ISOPROPYL ALCOHOL (SARA 313)

% Text: 3-6

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

400 PPM

Code: M OSHA
STEL:

Code:

ACGIH TLV: 400 PPM; 500 STEL

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Cas: 111-76-2

M

KJ8575000

M

Code:

RTECS #:

Code:

Name: ETHANOL, 2-BUTOXY-; (ETHYLENE GLYCOL MONOBUTYL ETHER)

% Text: 1-3

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

50 PPM, S

Code: M OSHA
STEL:

Code:

ACGIH TLV: 25 PPM, S

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

N

Hazards Data

Health

[TOP](#)

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

EYE CONTACT: SENSATION OF IRRITATION. CHRONIC: ANIMAL STUDIES CLEARLY DEMONSTRATED DOSE-RELATED ADVERSE EFFECTS ON THE CNS, HEMATOPOIETIC TISSUES, BLOOD, KIDNEYS & LIVER, ASSOCIATED WITH THE ADMINISTRATION OF ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE) (EXTRACTED FROM DHHS (NIOSH) PUB NO 90-118) (FP N).

Explanation Of Carcinogenicity

NOT RELEVANT

Signs And Symptoms Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

NONE KNOWN TO MANUFACTURER.

First Aid

INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) (FP N). EYES: FLUSH EYES WITH WATER FOR AT LEAST 15–20 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL AID. SKIN: REMOV E WITH SOAP AND WATER. INGEST: DRINK LARGE AMOUNTS OF WATER OR MILK AND SEEK MEDICAL AID.

Spill Release Procedures

CONTAINS AMMONIA. DO NOT LET SPILLED OR LEAKING MATERIAL ENTER WATERCOURSE. MAY BE TOXIC TO AQUATIC LIFE. ABSORB WITH OIL–DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS (FP N). WASTE FROM NORMAL PRODUCT USE MAY BE SEWERED TO A PUBLIC–OWNED TREATMENT WORKS (POTW) IN COMPLIANCE WITH APPLICABLE FE DERAL, STATE & LOCAL PRETREATMENT REQUIREMENTS.

Handling And Storage Precautions

UNPLUG ELECTRICAL APPLIANCES BEFORE USING PRODUCT ON THEM.

Other Precautions

PRODUCT RESIDUE MAY REMAIN ON/IN EMPTY CONTAINERS. ALL PRECAUTIONS FOR HANDLING THE PRODUCT MUST BE USED IN HANDLING THE EMPTY CONTAINER AND RESIDUE.

===== Fire and

Explosion Hazard Information

=====

TOP

Flash Point Method:

N/P

Flash Point:

Flash Point Text: 117F,47C

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures

USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard

NO SPECIAL HAZARDS KNOWN.

Measures	Control
----------	---------

[TOP](#)

Respiratory Protection

NO SPECIAL REQUIRMENTS UNDER NORMAL USE CONDITIONS. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation

GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves

IMPERVIOUS GLOVES (FP N).

Eye Protection

ANSI APPROVED SAFETY GLASSES (FP N).

Other Protective Equipment

NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices

USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

PH: 10.2–11.6.

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: 180F,82C

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: >1.0

Vapor Density: >1.0

Volatile Org Content %:

Spec Gravity: 0.99 (H₂O=1)

VOC Pounds/Gallon:

PH: SUPDAT

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference:

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR WITH LIQUID FLORAL ODOR.

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Reactivity Data

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: NONE KNOWN.

Materials To Avoid: NONE KNOWN.

Hazardous Decomposition Products: WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT

:

Toxicological Information

[TOP](#)

Toxicological Information:

N/P

Ecological Information

[TOP](#)

Ecological:

N/P

MSDS Transport

[TOP](#)

Information

Transport Information:

N/P

Regulatory Information

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

[TOP](#)

Other Information:

N/P

HMIS

HAZCOM Label

[TOP](#)

[Print Labels](#)

Product ID:

CLEAR WINDEX, 126001-3

Cage: DO622

Assigned IND: Y

Company Name:

SC JOHNSON WAX

Street: N/K

PO Box:

City:

RACINE

State: WI

Zipcode: 53403-5011

Country: NK

Health Emergency Phone:

800-851-7145

Label Required IND:

Y

Date Of Label Review: 09/01/1995

Status Code: C

MFG Label NO:

Label Date: 09/01/1995

Year Procured:

Origination Code:

G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection YES
IND:

Health Hazard:

Slight

Contact Hazard: Moderate

Fire Hazard:

None

Reactivity Hazard: None

Hazard And Precautions

ACUTE: EYE CONTACT: SENSATION OF IRRITATION. AN INGREDIENT CAN BE ABSORBED THROUGH SKIN.
CHRONIC: ANIMAL STUDIES CLEARLY DEMONSTRATED DOSE-RELATED ADVERSE EFFECTS ON THE CNS, BLOOD
FORMING TISSUES, BLOOD, KIDNEYS & LIVER, ASSOCIATED WITH THE ADMINISTRATION OF ETHYLENE GLYCOL
MONOBUTYL ETHER (FP N).

=====

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.